

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/07/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL DC BOND ; Liquid A

- · Article number: US107-A
- · Application of the substance / the preparation Dental bonding material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan • Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com

2 Composition/information on ingredients

· Chemical characterization: Single Component

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
868-77-9	2-hydroxyethyl methacrylate	30-50%
	🚸 H315; H319; H317	
1565-94-2	bisphenol A diglycidylmethacrylate	30-50%
	🚸 H315; H319	
94-36-0	benzoyl peroxide	<2.0%
	🔗 🚸 H241; 🐠 H319; H317	
· Other ingredients:		

10-Methacryloyloxydecyl dihydrogen phosphate Colloidal silica dl-Camphorquinone Initiators Others

3 Hazards identification

 \cdot Classification of the substance or mixture



H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

X Irritant

Irritating to eyes and skin. May cause sensitisation by skin contact.

· Information concerning particular hazards for human and environment:

- The product has to be labelled due to the calculation procedure of international guidelines.
- · Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL DC BOND ; Liquid A

	(Contd. of page 1)
Label elem	ents
GHS label	elements
The product	is classified and labelled according to the Globally Harmonized System (GHS).
	tograms GHS07
Signal wore	d Warning
	termining components of labelling:
	thyl methacrylate
benzoyl per	
· Hazard sta	
	es skin irritation.
	es serious eye irritation.
	cause an allergic skin reaction.
	ary statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P362	Take off contaminated clothing and wash before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classificati	
	ngs (scale 0 - 4)
	Health = 1
	Fire = 1
	Reactivity = 0
• HMIS-ratii	ngs (scale 0 - 4)
	$\frac{1}{2}$ Health = 1
	1 Fire = 1
REACTIVITY	$\mathbf{O} \mathbf{Reactivity} = \mathbf{O}$

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- If symptoms persist consult doctor.

5 Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

· Protective equipment:

Wear self-contained respiatory protective device.

(Contd. on page 3)

⁻ USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL DC BOND ; Liquid A

Wear fully protective suit.

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- \cdot Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL DC BOND ; Liquid A

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information		
Appearance:		
Form:	Liquid	
Color:	Transparent	
	Yellow	
Odor:	Odorless	
pH-value:	Not applicable	
Change in condition		
Melting point/Melting range:	-12 °C (2-hydroxyethyl methacrylate)	
Boiling point/Boiling range:	205 °C (2-hydroxyethyl methacrylate)	
Flash point:	97 °C (2-hydroxyethyl methacrylate)	
Ignition temperature:	Not applicable	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
Vapor pressure:	Not applicable	
Density:	1.2 g/cm ³ (10.014 lbs/gal)	
Vapour density	Not applicable	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Segregation coefficient (n-octonol/wa	ater): Not applicable	
Other information	No further relevant information available.	

10 Stability and reactivity

 \cdot Thermal decomposition / conditions to be avoided:

- No decomposition if used and stored according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 5)

USA

(Contd. of page 3)



Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL DC BOND ; Liquid A

(Contd. of page 4)

11 Tox	1 Toxicological information				
· Acut	· Acute toxicity:				
· LD/I	LC50 v	alues that are relevant for classification:			
868-7	868-77-9 2-hydroxyethyl methacrylate				
Oral	LD50	4680 mg/kg (guinea pig)			
		3275 mg/kg (mouse)			
		5050 mg/kg (rat)			
94-36	94-36-0 benzoyl peroxide				
Oral	LD50	5700 mg/kg (mouse)			
		7710 mg/kg (rat)			
	LD50	250 mg/kg (mouse - intraperitoneal)			
· Prim	ary iri	ritant effect:			
\cdot on th	\cdot on the skin: Irritant to skin and mucous membranes.				
• on th	• on the eye: Irritating effect.				
	Sensitization: Sensitization possible through skin contact.				
· Addi	· Additional toxicological information:				

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

· Aquatic toxicity: No further relevant information available.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- \cdot Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA

Void

Void

- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA

(Contd. on page 6)

USA



Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 04/01/2012

Trade name: CLEARFIL DC BOND ; Liquid A

		(Contd. of page 5)
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
\cdot Special precautions for user	Not applicable.	
· Transport in bulk according to Anne	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

· Sara

· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
· Section 313 (Specific toxic chemical listings):	
94-36-0 benzoyl peroxide	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
94-36-0 benzoyl peroxide	3
· TLV (Threshold Limit Value established by ACGIH)	
94-36-0 benzoyl peroxide	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	·
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administation)	
None of the ingredients is listed.	
	- U

(Contd. on page 7)



Reviewed on 04/01/2012

Trade name: CLEARFIL DC BOND ; Liquid A

(Contd. of page 6)

US A

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Material Safety Data Sheet acc. to ISO/DIS 11014

- \cdot Version: 5
- $\cdot \ Relevant \ phrases$
- Not applicable
- H241 Heating may cause a fire or explosion.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.